Author Index of Volume 211

Abram, U., 121
Albinati, A., 177
Alzuet, G., 183
Amari, C., 89
Arrizabalaga, P., 81
Asaro, F., 27
Ayala, J.D., 161

Baer, C.D., 1
Bandoli, G., 95
Bell, K.E., 187
Berg, J.M., 243
Bernardinelli, G., 81
Bombieri, G., 161
Borrás, J., 183
Bouet, G., 33
Bressan, M., 217

Cameron, J.H., 111
Cao, Y., 1
Casanova, J., 183
Casas, J.S., 211
Castiñeiras, A., 47, 133
Castro, R., 47
Chung, T.-M., 1
Chung, Y.K., 1
Colton, R., 235
Constable, E.C., 101

Daeid, N.N., 55
Dakternieks, D., 155
David, L., 183
Del Pra, A., 161
De Munno, G., 227
Dilworth, J.R., 131
Djuran, M.I., 149
Douglas, B.E., 149
Drake, J.E., 37
Dreos Garlatti, R., 27

Fanwick, P.E., 203
Farooq, A., 171
Fleig, P.F., 243
Forti, L., 217
Fritzsche, M., 11
Fuchita, Y., 61

Garcia-Fontan, S., 211
García-Vázquez, J.A., 47
Gatteschi, D., 183
Geoffroy, M., 81
Gleizes, A., 67
Gultneh, Y., 171

Hagen, K.S., 127
Hannon, M.J., 101
Harding, C.J., 195
Hennig, H., 117
Hill, C.L., 127
Hiller, W., 47
Hillgeris, E.C., 221
Hou, D., 127
Hübener, R., 121
Hynes, M.J., 5

Ianelli, S., 89

Jasanada, F., 141
Johnson, B.F.G., 17
Jones, M.M., 211
Julve, M., 227
Jun, J.-H., 167
Jun, M.J., 167
Jung, J.-S., 167

Karlin, K.D., 171
Kelly, C.R., 187
Kelly, H.C., 187
Khan, M.A., 33
Kim, G.-S., 127
Kläui, W., 235
Knoll, H., 117
Kostić, T.S., 149

Lechat, S., 33
Lianza, F., 177
Lippert, B., 177, 221
Liu, S., 171
Longato, B., 95
Lu, Q., 195

Marrs, D.J., 195
Martell, A.E., 23
Masi, D., 155
McEwan, J.A., 111
McKee, V., 195
Mealli, C., 155
Menzer, S., 221
Miller, J.R., 131
Minter, D.E., 187
Mislankar, A.G., 37
Moloney, A., 5
Morvillo, A., 217
Muñoz, M.C., 227

Nakashita, S., 61
Nelson, J., 195
Nepveu, F., 141
Nicolini, M., 95
Nolan, K.B., 55

O'Connor, C.J., 167
Ortiz, R., 133

Parisini, E., 17
Parkin, I.P., 77
Pelizzi, C., 89
Pelizzi, G., 89
Pellizer, G., 27
Perello, L., 133
Peterson, P.E., 1
Pombeiro, A.J.L., 131
Predieri, G., 89

Quirós, M., 133

Radanović, D.J., 149
Real, J.A., 227
Rehder, D., 11
Reibenspies, J., 23
Renn, O., 177
Ribeiro, M.T.A., 131
Ritter, K., 117
Roberts, Y.V., 17
Rodriguez-Seoane, P., 211
Romero, J., 47
Rothwell, I.P., 203
Rowley, A.T., 77
Ruiz, M., 133
Ryan, W.J., 1

Sans-Lenain, S., 67
Sordo, J., 211
Sousa, A., 47
Strähle, J., 47
Sweigart, D.A., 1

Tauzher, G., 27
Thompson, C.F., 1
Trovó, G., 95

Van Der Sluys, W.G., 243
Vergopoulos, V., 11
Vicentini, G., 161
Vierling, F., 33
Visciglio, V.M., 203
Vogler, A., 117

Walz, L., 141
Wermeille, M., 81
Williard, P.G., 1
Winckler Tsang, B., 23
Wurm, K., 5

Yang, J., 37

Zheng, Y., 131
Zhu, H., 155
Zinner, L.B., 161
Zubieta, J., 171

Elsevier Sequoia

Subject Index of Volume 211

Alkoxide complexes
synthesis and characterization of ion separated $MU_2(OBu^t)_9$ species where $M=NBu^n_4$, PPh_4, Ph_3PMe and K-dibenzo-18-crown-6, 243
Alkyl complexes
synthesis and characterization of dithiocarbonate (xanthate) derivatives of various methyl-, t-butyl- and n-butyl-germanes. Crystal structures of $MeGe[S_2COEt]_3 \cdot 0.37CS_2$ and $MeGe[S_2CO(i\text{-}Pr)]_3 \cdot 0.50CS_2$, 37
Amido complexes
synthesis and structure of some new mixed amido, aryloxide compounds of Group 4, 5 and 6 metals containing the 2,4-di-tert-butyl-6-phenylphenoxide ligand, 203
Amine complexes
formation and X-ray crystal structure analysis of a Pt(IV) complex of 1-methylthymine, obtained through Au(III) treatment of a Pt(II) complex, 177
effects of amine–borane structure on the stoichiometry, rate and mechanism of reaction with hypochlorous acid: hydride oxidation versus B-chlorination, 187
Antimonium compounds
a new amorphous spin glass material: $Fe_3(SbTe_3)_2$, 167
Aquo complexes
reduction of the bis(pentane-2,4-dionato)diaquo manganese(III) complex by hydroxylamine and L-ascorbic acid in aqueous solution, 5
Aryloxide complexes
synthesis and structure of some new mixed amido, aryloxide compounds of Group 4, 5 and 6 metals containing the 2,4-di-tert-butyl-6-phenylphenoxide ligand, 203
Azide complexes
spectrophotometric studies of the photolysis of diazido–bis(phosphine)–metal(II) complexes, 117
Azido complexes
synthesis, crystal structure and magnetic properties of $[Cu_2(bpym)(N_3)_4]$ (bpym = 2,2′-bipyrimidine), 227

Bidentate ligand complexes
reduction of the bis(pentane-2,4-dionato)diaquo manganese(III) complex by hydroxylamine and L-ascorbic acid in aqueous solution, 5
the ligand exchange reaction between $Re(V)NCl_2(PPh_3)_2$ and 2-aminothiophenol: formation of a neutral Re(V) phosphorane thioiminato complex, 23
reactivity of the cyclic tetranuclear complex $[Pd_4(\mu\text{-}o\text{-}C_6H_4)_2(\mu\text{-}O_2CMe)_4(\mu\text{-}SPr^i_2)_2]$, 61
2-(2′-thienyl)pyridine versus 2,2′-bipyridyl binding mode in copper(II) complexes, 89
structural characterization of two lipophilic tris(tropolonato) gallium(III) and indium(III) complexes of radiopharmaceutical interest, 141
Borane complexes
effects of amine–borane structure on the stoichiometry, rate and mechanism of reaction with hypochlorous acid: hydride oxidation versus B-chlorination, 187
Boron complexes
effects of amine–borane structure on the stoichiometry, rate and mechanism of reaction with hypochlorous acid: hydride oxidation versus B-chlorination, 187

Cadmium complexes
synthesis of 3-trimethylsilylpyridine-2-thione (3-Me_3SipytH) complexes of nickel, copper, zinc and cadmium: crystal and molecular structure of $[Cd(3\text{-}Me_3Sipyt)_2]$, 47
spectroscopic study of cadmium(II) complexes with heterocyclic dithiocarbamate ligands, 211
Carbonyl complexes
synthesis and reactivity of (indole)$Mn(CO)_3^+$ complexes. Electrophilic activation of the indole 4 and 7 positions, 1
Carborane complexes
a new mechanism for the rearrangement of the icosahedral carboranes, 17
Catalysis
iodosobenzene and persulfate oxygenation of saturated hydrocarbons catalyzed by diphosphino complexes of ruthenium(III), 217
Chelate complexes
reduction of the bis(pentane-2,4-dionato)diaquo manganese(III) complex by hydroxylamine and L-ascorbic acid in aqueous solution, 5
the ligand exchange reaction between $Re(V)NCl_2(PPh_3)_2$ and 2-aminothiophenol: formation of a neutral Re(V) phosphorane thioiminato complex, 23
structural features of homo- and heteroleptic complexes of copper(II) with 2,2,6,6-tetramethyl-3,5-heptanedione and 3-chloro-2,4-pentanedione, 67
2-(2′-thienyl)pyridine versus 2,2′-bipyridyl binding mode in copper(II) complexes, 89
structural characterization of two lipophilic tris(tropolonato) gallium(III) and indium(III) complexes of radiopharmaceutical interest, 141
identification and characterization of the *trans*(O_5) and *trans*(O_5O_6) isomers of hexadentate rhodium(III) complex of 1,3-propanediamine-*N*,*N*′-diacetic-*N*,*N*′-di-3-propionic acid, 149
structure and reactions of an eight-coordinate Mn(II) complex: $[Mn(TMPA)_2](ClO_4)_2$ (TMPA = tris[(2-pyridyl)methyl]amine), 171
Chloride complexes
spectrophotometric study of cobalt(II) chloride complexes in ethanol and propan-2-ol, 33
Cinoxacin complexes
Ni(II) and Zn(II) complexes with cinoxacin. Synthesis and characterization of $M(Cx)_2(DMSO)_n(H_2O)_m$ ($n=0$, 2; $m=2$, 4). Crystal structures of $[M(Cx)_2(DMSO)_2] \cdot 4H_2O$ (M = Ni(II), Zn(II)), 133
Cluster complexes
a new mechanism for the rearrangement of the icosahedral carboranes, 17
Cobalt complexes
spectrophotometric study of cobalt(II) chloride complexes in ethanol and propan-2-ol, 33
complexes in solution formed by an organometallic tripodal oxygen ligand with monovalent, divalent and trivalent

metal ions: an electrospray mass spectrometric study, 235
Copper complexes
structural features of homo- and heteroleptic complexes of copper(II) with 2,2,6,6-tetramethyl-3,5-heptanedione and 3-chloro-2,4-pentanedione, 67
2-(2′-thienyl)pyridine versus 2,2′-bipyridyl binding mode in copper(II) complexes, 89
metal complexes of sulfanilamide derivatives. Spectroscopic characterization of the dichloro disulfathiazole methanol copper(II) complex, 183
pyridinophane cryptand hosts with dicopper(I) or dicopper(II) preferences, 195
synthesis, crystal structure and magnetic properties of $[Cu_2(bpym)(N_3)_4]$ (bpym = 2,2′-bipyrimidine), 227
Cryptand ligand complexes
pyridinophane cryptand hosts with dicopper(I) or dicopper(II) preferences, 195
Crystal structures
the ligand exchange reaction between $Re(V)NCl_2(PPh_3)_2$ and 2-aminothiophenol: formation of a neutral Re(V) phosphorane thioiminato complex, 23
synthesis and characterization of dithiocarbonate (xanthate) derivatives of various methyl-, t-butyl- and n-butylgermanes. Crystal structures of $MeGe[S_2COEt]_3 \cdot 0.37CS_2$ and $MeGe[S_2CO(i\text{-}Pr)]_3 \cdot 0.50CS_2$, 37
synthesis of 3-trimethylsilylpyridine-2-thione (3-Me_3SipytH) complexes of nickel, copper, zinc and cadmium: crystal and molecular structure of $[Cd(3\text{-}Me_3Sipyt)_2]$, 47
structural features of homo- and heteroleptic complexes of copper(II) with 2,2,6,6-tetramethyl-3,5-heptanedione and 3-chloro-2,4-pentanedione, 67
2-(2′-thienyl)pyridine versus 2,2′-bipyridyl binding mode in copper(II) complexes, 89
a novel binding mode of the N(6)-deprotonated adenine. Synthesis, spectroscopic characterization and X-ray structure of bis(μ-9-ethyladeninato-N^1,N^6) bis(bis(trimethylphosphine)platinum(II) dinitrate, 95
synthesis, characterization and X-ray crystal structure of *cis*-tetrakis(isothiocyanato)(triphenylphosphine)(triphenylphosphine oxide)rhenium(IV), $[Re(NCS)_4(Ph_3P)(Ph_3PO)]$, 121
synthesis and characterization of a polyvanadate polyester involving a monodentate alcohol, $[(n\text{-}C_4H_9)_4N][V_6O_{12}(OCH_3)_7]$, 127
synthesis and X-ray structure of $[ReBr_3(NNPh)(PPh_3)_2]$, a paramagnetic organodiazenido complex, 131
Ni(II) and Zn(II) complexes with cinoxacin. Synthesis and characterization of $M(Cx)_2(DMSO)_n(H_2O)_m$ ($n = 0, 2$; $m = 2, 4$). Crystal structures of $[M(Cx)_2(DMSO)_2] \cdot 4H_2O$ (M = Ni(II), Zn(II)), 133
structural characterization of two lipophilic tris(tropolonato) gallium(III) and indium(III) complexes of radiopharmaceutical interest, 141
stereochemistry of hypervalent tin(IV) compounds. NMR and crystallographic studies of organoyltin(IV) complexes with 1,1-dithiolate ligands, 155
synthesis, structure and properties of lanthanide(III) picrate complexes with *trans*-1,4-dithiane-1,4-dioxide (TDTD), 161
structure and reactions of an eight-coordinate Mn(II) complex: $[Mn(TMPA)_2](ClO_4)_2$ (TMPA = tris[(2-pyridyl)methyl]amine), 171
formation and X-ray crystal structure analysis of a Pt(IV) complex of 1-methylthymine, obtained through Au(III) treatment of a Pt(II) complex, 177
pyridinophane cryptand hosts with dicopper(I) or dicopper(II) preferences, 195
synthesis and structure of some new mixed amido, aryloxide compounds of Group 4, 5 and 6 metals containing the 2,4-di-tert-butyl-6-phenylphenoxide ligand, 203
$HgCl_2$ coordination to guanine derivatives: structural and spectroscopic studies on the interactions with 9-ethylguanine, 1,9-dimethylguanine and 2-amino-6-methoxy-9-methylpurine (6,9-dimethylguanine), 221
synthesis, crystal structure and magnetic properties of $[Cu_2(bpym)(N_3)_4]$ (bpym = 2,2′-bipyrimidine), 227
Diazenido complexes
synthesis and X-ray structure of $[ReBr_3(NNPh)(PPh_3)_2]$, a paramagnetic organodiazenido complex, 131
Dinuclear complexes
synthesis, crystal structure and magnetic properties of $[Cu_2(bpym)(N_3)_4]$ (bpym = 2,2′-bipyrimidine), 227
Dithiocarbamate complexes
spectroscopic study of cadmium(II) complexes with heterocyclic dithiocarbamate ligands, 211
ESR study
formation of Pt(III) complexes in irradiated potassium tetranitroplatinate(II): a single crystal ESR study, 81
Gallium complexes
structural characterization of two lipophilic tris(tropolonato) gallium(III) and indium(III) complexes of radiopharmaceutical interest, 141
Germanium complexes
synthesis and characterization of dithiocarbonate (xanthate) derivatives of various methyl-, t-butyl- and n-butylgermanes. Crystal structures of $MeGe[S_2COEt]_3 \cdot 0.37CS_2$ and $MeGe[S_2CO(i\text{-}Pr)]_3 \cdot 0.50CS_2$, 37
Heteroleptic complexes
structural features of homo- and heteroleptic complexes of copper(II) with 2,2,6,6-tetramethyl-3,5-heptanedione and 3-chloro-2,4-pentanedione, 67
Homoleptic complexes
structural features of homo- and heteroleptic complexes of copper(II) with 2,2,6,6-tetramethyl-3,5-heptanedione and 3-chloro-2,4-pentanedione, 67
Hydrocarbon complexes
iodosobenzene and persulfate oxygenation of saturated hydrocarbons catalyzed by diphosphino complexes of ruthenium(III), 217
Icosahedral complexes
a new mechanism for the rearrangement of the icosahedral carboranes, 17
Indium complexes
structural characterization of two lipophilic tris(tropolonato) gallium(III) and indium(III) complexes of radiopharmaceutical interest, 141
Indole complexes
synthesis and reactivity of (indole)$Mn(CO)_3^+$ complexes. Electrophilic activation of the indole 4 and 7 positions, 1
Intermetallic compounds
a new amorphous spin glass material: $Fe_3(SbTe_3)_2$, 167

Iron complexes
oxidised metallophenolicporphyrins as models for Compound I of the peroxidases. Reduction of oxidised iron(III), nickel(II) and zinc(II) complexes of *meso*-tetrakis(3,5-di-t-butyl-4-hydroxyphenyl)porphyrin by the peroxidase substrate *p*-cresol, 55
Iron compounds
a new amorphous spin glass material: $Fe_3(SbTe_3)_2$, 167
Isothiocyanato complexes
synthesis, characterization and X-ray crystal structure of *cis*-tetrakis(isothiocyanato)(triphenylphosphine)(triphenylphosphine oxide)rhenium(IV), $[Re(NCS)_4(Ph_3P)(Ph_3PO)]$, 121

Kinetics and mechanism
reduction of the bis(pentane-2,4-dionato)diaquo manganese(III) complex by hydroxylamine and L-ascorbic acid in aqueous solution, 5
complexation of histidine and alanyl-histidine by vanadate in aqueous medium, 11
oxidised metallophenolicporphyrins as models for Compound I of the peroxidases. Reduction of oxidised iron(III), nickel(II) and zinc(II) complexes of *meso*-tetrakis(3,5-di-t-butyl-4-hydroxyphenyl)porphyrin by the peroxidase substrate *p*-cresol, 55
effects of amine–borane structure on the stoichiometry, rate and mechanism of reaction with hypochlorous acid: hydride oxidation versus B-chlorination, 187

Lanthanide complexes
a convenient low temperature route to the formation of lanthanide oxides, 77
synthesis, structure and properties of lanthanide(III) picrate complexes with *trans*-1,4-dithiane-1,4-dioxide (TDTD), 161

Macrocyclic complexes
synthesis and characterization of ion separated $MU_2(OBu^t)_9$ species where $M = NBu^n_4$, PPh_4, Ph_3PMe and K-dibenzo-18-crown-6, 243
Magnetism
synthesis, crystal structure and magnetic properties of $[Cu_2(bpym)(N_3)_4]$ (bpym = 2,2′-bipyrimidine), 227
Manganese complexes
synthesis and reactivity of (indole)$Mn(CO)_3^+$ complexes. Electrophilic activation of the indole 4 and 7 positions, 1
reduction of the bis(pentane-2,4-dionato)diaquo manganese(III) complex by hydroxylamine and L-ascorbic acid in aqueous solution, 5
structure and reactions of an eight-coordinate Mn(II) complex: $[Mn(TMPA)_2](ClO_4)_2$ (TMPA = tris[(2-pyridyl)methyl]amine), 171
Mass spectrometry
complexes in solution formed by an organometallic tripodal oxygen ligand with monovalent, divalent and trivalent metal ions: an electrospray mass spectrometric study, 235
Mercury complexes
$HgCl_2$ coordination to guanine derivatives: structural and spectroscopic studies on the interactions with 9-ethylguanine, 1,9-dimethylguanine and 2-amino-6-methoxy-9-methylpurine (6,9-dimethylguanine), 221
Molybdenum complexes
tridentate coordination of dioxomolybdenum(VI) with some potentially quinquedentate (N_2O_3) Schiff base ligands, 111

Nickel complexes
oxidised metallophenolicporphyrins as models for Compound I of the peroxidases. Reduction of oxidised iron(III), nickel(II) and zinc(II) complexes of *meso*-tetrakis(3,5-di-t-butyl-4-hydroxyphenyl)porphyrin by the peroxidase substrate *p*-cresol, 55
Ni(II) and Zn(II) complexes with cinoxacin. Synthesis and characterization of $M(Cx)_2(DMSO)_n(H_2O)_m$ ($n = 0, 2$; $m = 2, 4$). Crystal structures of $[M(Cx)_2(DMSO)_2]\cdot 4H_2O$ (M = Ni(II), Zn(II)), 133
Nitro complexes
formation of Pt(III) complexes in irradiated potassium tetranitroplatinate(II): a single crystal ESR study, 81
Nucleobase complexes
a novel binding mode of the N(6)-deprotonated adenine. Synthesis, spectroscopic characterization and X-ray structure of bis(μ-9-ethyladeninato-N^1,N^6) bis(bis(trimethylphosphine)platinum(II) dinitrate, 95
$HgCl_2$ coordination to guanine derivatives: structural and spectroscopic studies on the interactions with 9-ethylguanine, 1,9-dimethylguanine and 2-amino-6-methoxy-9-methylpurine (6,9-dimethylguanine), 221

Organotin complexes
stereochemistry of hypervalent tin(IV) compounds. NMR and crystallographic studies of organoyltin(IV) complexes with 1,1-dithiolate ligands, 155
Oxidation
iodosobenzene and persulfate oxygenation of saturated hydrocarbons catalyzed by diphosphino complexes of ruthenium(III), 217
Oxide complexes
a convenient low temperature route to the formation of lanthanide oxides, 77
Oxo complexes
tridentate coordination of dioxomolybdenum(VI) with some potentially quinquedentate (N_2O_3) Schiff base ligands, 111
Oxygen ligand complexes
complexes in solution formed by an organometallic tripodal oxygen ligand with monovalent, divalent and trivalent metal ions: an electrospray mass spectrometric study, 235

Palladium complexes
reactivity of the cyclic tetranuclear complex $[Pd_4(\mu\text{-}o\text{-}C_6H_4)_2(\mu\text{-}O_2CMe)_4(\mu\text{-}SPr^i_2)_2]$, 61
Paramagnetic complexes
synthesis and X-ray structure of $[ReBr_3(NNPh)(PPh_3)_2]$, a paramagnetic organodiazenido complex, 131
Peptide complexes
complexation of histidine and alanyl-histidine by vanadate in aqueous medium, 11
Phosphine complexes
synthesis, NMR and kinetic behaviour of rhodoximes containing bulky phosphine ligands, 27
Phosphorane complexes
the ligand exchange reaction between $Re(V)NCl_2(PPh_3)_2$ and 2-aminothiophenol: formation of a neutral Re(V) phosphorane thioiminato complex, 23

Photolysis
spectrophotometric studies of the photolysis of diazido–bis(phosphine)–metal(II) complexes, 117
Picrate complexes
synthesis, structure and properties of lanthanide(III) picrate complexes with *trans*-1,4-dithiane-1,4-dioxide (TDTD), 161
Platinum complexes
formation of Pt(III) complexes in irradiated potassium tetranitroplatinate(II): a single crystal ESR study, 81
a novel binding mode of the N(6)-deprotonated adenine. Synthesis, spectroscopic characterization and X-ray structure of bis(μ-9-ethyladeninato-N^1,N^6) bis-(bis(trimethylphosphine)platinum(II) dinitrate, 95
formation and X-ray crystal structure analysis of a Pt(IV) complex of 1-methylthymine, obtained through Au(III) treatment of a Pt(II) complex, 177
Polydentate ligand complexes
structural features of homo- and heteroleptic complexes of copper(II) with 2,2,6,6-tetramethyl-3,5-heptanedione and 3-chloro-2,4-pentanedione, 67
solvent effects in the reactions of 6-phenyl-2,2′-bipyridine with ruthenium(II), 101
identification and characterization of the *trans*(O_5) and *trans*(O_5O_6) isomers of hexadentate rhodium(III) complex of 1,3-propanediamine-*N*,*N*′-diacetic-*N*,*N*′-di-3-propionic acid, 149
Polyester complexes
synthesis and characterization of a polyvanadate polyester involving a monodentate alcohol, $[(n\text{-}C_4H_9)_4N][V_6O_{12}(OCH_3)_7]$, 127
Polynuclear complexes
reactivity of the cyclic tetranuclear complex $[Pd_4(\mu\text{-}o\text{-}C_6H_4)_2(\mu\text{-}O_2CMe)_4(\mu\text{-}SPr^i_2)_2]$, 61
Polyvanadate complexes
synthesis and characterization of a polyvanadate polyester involving a monodentate alcohol, $[(n\text{-}C_4H_9)_4N][V_6O_{12}(OCH_3)_7]$, 127
Porphyrin complexes
oxidised metallophenolicporphyrins as models for Compound I of the peroxidases. Reduction of oxidised iron(III), nickel(II) and zinc(II) complexes of *meso*-tetrakis(3,5-di-t-butyl-4-hydroxyphenyl)porphyrin by the peroxidase substrate *p*-cresol, 55

Rearrangement
a new mechanism for the rearrangement of the icosahedral carboranes, 17
Reduction
reduction of the bis(pentane-2,4-dionato)diaquo manganese(III) complex by hydroxylamine and L-ascorbic acid in aqueous solution, 5
oxidised metallophenolicporphyrins as models for Compound I of the peroxidases. Reduction of oxidised iron(III), nickel(II) and zinc(II) complexes of *meso*-tetrakis(3,5-di-t-butyl-4-hydroxyphenyl)porphyrin by the peroxidase substrate *p*-cresol, 55
Rhenium complexes
the ligand exchange reaction between $Re(V)NCl_2(PPh_3)_2$ and 2-aminothiophenol: formation of a neutral Re(V) phosphorane thioiminato complex, 23
synthesis, characterization and X-ray crystal structure of *cis*-tetrakis(isothiocyanato)(triphenylphosphine)(triphenylphosphine oxide)rhenium(IV), $[Re(NCS)_4(Ph_3P)(Ph_3PO)]$, 121
synthesis and X-ray structure of $[ReBr_3(NNPh)(PPh_3)_2]$, a paramagnetic organodiazenido complex, 131
Rhodium complexes
synthesis, NMR and kinetic behaviour of rhodoximes containing bulky phosphine ligands, 27
identification and characterization of the *trans*(O_5) and *trans*(O_5O_6) isomers of hexadentate rhodium(III) complex of 1,3-propanediamine-*N*,*N*′-diacetic-*N*,*N*′-di-3-propionic acid, 149
Rhodoxime complexes
synthesis, NMR and kinetic behaviour of rhodoximes containing bulky phosphine ligands, 27
Ruthenium complexes
solvent effects in the reactions of 6-phenyl-2,2′-bipyridine with ruthenium(II), 101
iodosobenzene and persulfate oxygenation of saturated hydrocarbons catalyzed by diphosphino complexes of ruthenium(III), 217

Schiff base complexes
tridentate coordination of dioxomolybdenum(VI) with some potentially quinquedentate (N_2O_3) Schiff base ligands, 111
Spectrophotometric study
spectrophotometric study of cobalt(II) chloride complexes in ethanol and propan-2-ol, 33
Sulfanilamide complexes
metal complexes of sulfanilamide derivatives. Spectroscopic characterization of the dichloro disulfathiazole methanol copper(II) complex, 183

Tellurium compounds
a new amorphous spin glass material: $Fe_3(SbTe_3)_2$, 167
Thiolato complexes
synthesis of 3-trimethylsilylpyridine-2-thione (3-Me_3SipytH) complexes of nickel, copper, zinc and cadmium: crystal and molecular structure of $[Cd(3\text{-}Me_3Sipyt)_2]$, 47
Tin complexes
stereochemistry of hypervalent tin(IV) compounds. NMR and crystallographic studies of organoyltin(IV) complexes with 1,1-dithiolate ligands, 155
Transition metal complexes
spectrophotometric studies of the photolysis of diazido–bis(phosphine)–metal(II) complexes, 117
synthesis and structure of some new mixed amido, aryloxide compounds of Group 4, 5 and 6 metals containing the 2,4-di-tert-butyl-6-phenylphenoxide ligand, 203
Tridentate amine ligand complexes
structure and reactions of an eight-coordinate Mn(II) complex: $[Mn(TMPA)_2](ClO_4)_2$ (TMPA = tris[(2-pyridyl)methyl]amine), 171

Uranium complexes
synthesis and characterization of ion separated $MU_2(OBu^t)_9$ species where $M = NBu^n_4$, PPh_4, Ph_3PMe and K-dibenzo-18-crown-6, 243

Vanadium complexes
complexation of histidine and alanyl-histidine by vanadate in aqueous medium, 11
synthesis and characterization of a polyvanadate polyester involving a monodentate alcohol, $[(n\text{-}C_4H_9)_4N][V_6O_{12}(OCH_3)_7]$, 127

Xanthate complexes
synthesis and characterization of dithiocarbonate (xanthate) derivatives of various methyl-, t-butyl- and n-butyl-germanes. Crystal structures of $MeGe[S_2COEt]_3 \cdot 0.37CS_2$ and $MeGe[S_2CO(i\text{-}Pr)]_3 \cdot 0.50CS_2$, 37

Zinc complexes
oxidised metallophenolicporphyrins as models for Compound I of the peroxidases. Reduction of oxidised iron(III), nickel(II) and zinc(II) complexes of *meso*-tetrakis(3,5-di-t-butyl-4-hydroxyphenyl)porphyrin by the peroxidase substrate *p*-cresol, 55
Ni(II) and Zn(II) complexes with cinoxacin. Synthesis and characterization of $M(Cx)_2(DMSO)_n(H_2O)_m$ ($n=0$, 2; $m=2$, 4). Crystal structures of $[M(Cx)_2(DMSO)_2] \cdot 4H_2O$ (M = Ni(II), Zn(II)), 133